

Galvanized Steel Heavy Gauge Expanded Metal Mesh Corrosion Resistance 4x8 expanded metal

Basic Information

- Place of Origin:
- China ANPING YUDA
- Brand Name: Anping Yuda Mesh Co. Model Number: Expanded Metal Mesh • Minimum Order Quantity: 100 pieces/rolls • Price: Communicate again according to product specifications • Packaging Details: Thin mesh packed in rolls, thicker ones on trays • Delivery Time: 3-10days • Payment Terms: T/T, L/C, D/P • Supply Ability: 200000 Meters/ day



DER

Product Specification


 Product Name: 	Expanded Metal Mesh
Key Words:	Has A High Strength
• Material:	Low Carbon Steel /stainless Steel / Aluminum/copper/nickel Plate Etc.
• Hole Shape:	Diamond, Square, Round, Triangle, Fish Scale Hole
Surface Treatment:	Galvanized / PVC Coated
Weave Style:	Plain Weave
 Processing Service: 	Cutting, Stamping
Thickness:	0.1 - 8mm Or Custom
Mesh Hole:	Custom
Length:	Custom
• Width:	Custom
Height:	Custom
• Horizontal Axis Distance:	Custom

Olivier Wilste Dive Deal Fre



More Images

0-1-



for more products please visit us on wire-metalmesh.com

Product Description

Corrosion Resistance Galvanized Steel Mesh Expanded Metal Mesh


Expanded Metal Mesh can be made from a variety of metal materials, such as stainless steel, aluminum, copper, etc., for corrosion resistance.

Common hole types include diamond-shaped holes, round holes, rectangular holes, square holes, etc., each with different air permeability, filtration performance and visual effects.

Expanded metal mesh can undergo different surface treatments, such as hot dip galvanizing, spraying, etc. The surface treatment can also change the color and appearance of the product.

Expanded metal mesh has a wide range of applications. It can be used in the construction industry, such as guardrails, stair treads, ventilation panes, etc.; in the industrial field, such as sieves, filters, isolators, etc.; in the metallurgical industry, such as ore screening, grates, etc.; as well as in other fields, such as decoration and safety protection.

Style	Design Sizes		Opening Sizes		Strand Size		Overall Thickness	Open Area
	SWD	LWD	SwO	LWO	Thick	Width		
3/16 #22S	.19"	.50"	.14"	.345"	.031"	.034"	.070"	61%
1/4 #20S	.25"	1.0	.125"	.718"	.036"	.072"	.135"	45%
1/4 #18S	25"	1.0"	.110"	.718"	.048"	.072"	.147"	43%
1/2 #20S	.50"	1.2"	.438"	.938"	.036"	.072"	.140"	80%
1/2 #18S	50"	1.2"	438"	.938"	.048"	.088"	.172	72%
1/2 #16S	50"	1.2"	.375"	938"	.060"	087"	.175	65%
1/2 #13S	.50"	1.2"	.312"	.938"	.090"	.096"	204"	57%
3/4 #16S	.923"	2.0"	.813"	1.750"	.060"	.101"	.210"	78%
3/4 #13S	.923"	2.0"	.750"	1.688"	.090"	.096"	205"	76%
3/4 #10S 13ga.	923"	2.0"	.750"	1.625"	.090"	.144"	290"	72%
3/4 #9 S 10ga.	.923"	2.0"	.688"	1.562"	.134"	.150"	.312"	68%
1#16S	1.00"	2.4"	.938"	2.062"	.060"	.087"	-	82%
1-1/2#18S	1.33"	3.0"	1.313"	2.625"	.048"	.068"	.140"	90%
1-1/2#16S	1.33"	3.0"	1.250"	2.625"	.060"	.108"	.230"	85%
1-1/2#13 S	1.33"	3.0"	1.188"	2.500"	.090"	.105"	.242"	85%
1- 1/2#10S13 ga.	1.33"	3.0"	1.188"	2.500"	090"	.138"	.284"	80%
1-1/2 #9S 10ga	1.33"	3.0"	1.125"	2.375"	.134"	.144"	.312"	76%
1-1/2#6S	1.33"	3.0"	1.110"	2.313"	.194"	.203"	.433"	69%
2#10 S 13ga.	1.85"	4.0"	1.625"	3.438"	.092"	.164"	.327"	82%
2#9 S10ga.	1.85"	4.0"	1.563"	3.375"	.134"	.149"	.312"	84%





Anping Yuda Wire Mesh Co., Ltd.						
S 13785885555 S ales@china-mesh-wire.com S wire-metalmesh.com						
Xiwangzhuang Developing Zone, Anping, Hebei, China						