

# AISI 304 316 316L Stainless Steel Wire Mesh 20 100 300 Micron Plain Woven Mesh Screen

### **Basic Information**

Place of Origin: CHINABrand Name: YUDA

Model Number: Stainless steel wire mesh

Minimum Order Quantity: 10 roll

Price: Determined by size and quantityPackaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 5000 rolls/ day



# **Product Specification**

Product Name: Stainless Steel Wire Mesh
Key Words: Stainless Steel Wire Mesh
Material: SUS302,304,316,304L,316L Etc.
Mesh: 1-3200mesh Can Custom
Width: 0.5m-3m Or Customized

Wire Diameter: Customized According To Customer

Requirements

• Type: Weave Wire Mesh


• Weave Style: Plain Weave, Twill Weave, Dense Weave

Highlight: AISI 304 Stainless Steel Wire Mesh,

300 Micron Stainless Steel Wire Mesh, 316L Stainless Steel Wire Mesh



# More Images



### **Product Description**

### AISI 304 316 316L Stainless Steel Wire Mesh 20 100 300 Micron Plain Woven Mesh Screen

Stainless steel wire mesh, abbreviated as stainless steel mesh, is a mesh material woven from stainless steel wire. Its materials usually include SUS302, 201, 304, 304L, 316, 316L, 310, 310S, etc. These stainless steel materials have good corrosion resistance, wear resistance, and high temperature resistance.


**Strong corrosion resistance:** The main material of stainless steel wire mesh is stainless steel, which has excellent corrosion resistance and can be used for a long time in harsh environments such as acid and alkali without damage.

**Wear resistance and high strength:** Stainless steel wire mesh has high wear resistance and strength, which can maintain stable performance in environments of heavy pressure and frequent friction, thereby extending its service life.

**Accurate mesh size and good production reproducibility:**The mesh size of stainless steel wire mesh is precise and has good production reproducibility, ensuring the accuracy and efficiency of screening and filtration.

**Unified structure, non curly, easy to use:** Its uniform structure is not easy to curl or deform, making the use process more convenient and fast.

Material	SS wire 201, 304, 304L, 316, 316L, 431, 321 347 etc.			
Wire diameter	0.018-2.03mm			
Woven style	plain weave,twill weave,dutch weave, reversed dutch weave,crimped weave			
Mesh counts	Plain weave wire mesh can be woven up to 400 mesh. Twill weave wire mesh can be woven from 30 to 635 mesh.			
Packaging Details	inner kraft, outside plastic cloth, put into wooden pallet or case.			
Туре	Mesh/Inch	Wire diameter (inch)	OPen Area	Weight (LB) /100 Square Foot
Plain,Twill Wire Mesh	1 × 1-635 × 635	0.0008"-0.08"	25 to 84.6	2.53 to 41.1
Туре	Mesh/Inch	Wire diameter (inch)	Absolute Filtration Finess µm	Nominal Filtration Finess µm
Plain Dutch Weave Wire Mesh	8 × 85 - 80 × 400	0.014" × 0.0126"- 0.0049" × 0.0028"	318-340 to 43-48	250-255 to 35-40
Twill Dutch Weave Wire Mesh	20 × 250 - 500 × 3200	0.0098" × 0.0079" - 0.0015" × 0.0010"	110-120 to 8- 9	98-105 to 2-3





# Packaging & Transportation

YUDA



### Q1. What makes your products different from other company's?

A1: We provide customized service, strictly quality control and very competitive price.

## Q2. Is there quality control on all production lines?

A2: Yes, we have three times quality control in each order.

### Q3. What is your term of payment?

A3: For mass production, T/T 30% as deposit, and 70% before delivery. We'll show you the photos of the products and packages before delivery.

### Q4. How about your delivery time?

A4: Generally, it will take 15 days after receiving your advance payment. The specific delivery time depends on the quantity of your order.

### Q5. What is your sample policy?

A5: We can supply the sample if we have products in stock, but the customers have to pay for the courier cost.

Xiwangzhuang Developing Zone, Anping, Hebei, China