




## Single Strand Hot Dipped Galvanized Barbed Wire Barbed Iron Wire

Our Product Introduction

for more products please visit us on [wire-metalmesh.com](http://wire-metalmesh.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Barbed wire
- Minimum Order Quantity: 10 roll
- Price: Determined by size and quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 roll/ day



### Product Specification

- Product Name: Barbed Wire
- Key Words: Barbed Iron Wire
- Surface Treatment: Galvanized,PVC Coated
- Razor Type: Cross Razor,Single Razor,barbed Wire
- Sample: Free
- Barb Distance: 7.5cm-15cm
- Barb Length: 1.5cm-3cm
- Coil Diameter: 450mm-900mm
- Highlight: **Single Strand Barbed Wire,  
Galvanized barbed iron wire,  
Hot Dipped barbed iron wire**



### More Images



## Product Description

### Single Strand Hot Dipped Galvanized Barbed Wire Barbed Iron Wire

Barbed wire, also known as barb wire, is a type of defensive metal wire, covered with a sharp edge, and there is the same distance between the blades. This type of wire is economic and easy to install. It is mainly used for highways, military management areas, mountain afforestation, botanical gardens, regional boundaries, sightseeing fences, etc.

Zinc coated: 40-60g/ , 8-20g/

Weight coil: 5-50KG

Roll length: 100m, 200m, 350m, 400m, 500m

Breaking load (Rupture): 250KGF,350KGF

Barbed wire weave types: Double twist barbed wire, Traditional Twist barbed wire, Single strand barbed wire

PVC PE coating thickness: 0.4-0.6mm; different colors or length are available at customers request

The surface is treated with a special process to form a permanent protective film, with a smooth luster and no rusting.

Barbed wire type and specifications			
Type	Wire Gauge(SWG)	Barb Distance	Barb Length
Electro Galvanized Barbed Wire Hot-dipped zinc plating barbed wire	10#*12#	3" -6"	14-24mm
	12#*12#		
	12#*14#		
	14#*14#		
	14#*16#		
	16#*16#		
PVC coated barbed wire PE coated barbed wire	Before coating / After coating		
	1.0-3.5mm / 1.4-4.0mm		
	BWG11#-20# / BWG8#-17#		
	SWG11#-20# / SWG8#-17#		

### Main Features.

- 1) Sharp edge frightens intruders and thieves.
- 2) High stability, rigidity, and tensile strength to prevent cutting or destroying.
- 3) Anti-acid and alkali.
- 4) Harsh environment resistance.
- 5) Corrosion and rust resistance.
- 6) Available to combine with other fences for high level security barrier.
- 7) Convenient installation and uninstallation.
- 8) Easy to maintain.
- 9) Durable and long service life.

### FAQ

#### 1.Why choose us?

We have rich experience of wire mesh fence products, and have quality control department, so please trust us, we will be your best choice.

#### 2.How is wire mesh priced?

Pricing for wire mesh is based upon quantity required. Generally speaking, the larger the quantity you request, the better pricing per unit you will receive. The most common way pricing is provided is by the square foot. Abbreviated as SQFT, square foot pricing multiplies the width of the piece or roll of mesh by the width of the piece or the roll.

#### 3.Is shipping included in the price?

Unless otherwise stated, pricing does not include shipping costs. As a rule, when pricing is provided, delivery is considered FOB Origin.

#### 4.Minimum order

We do our best to maintain one of the lowest minimum order amounts in the industry. Our low minimum order is ideal for research and development projects, prototypes and small quantity requirement.

## PRODUCT CATEGORIES



Traditional twisted  
barbed wire



Double twisted  
barbed wire



Single stranded  
barbed wire




1. Attach the barbed wire  
on the concrete/wooden  
post with binding wire or nails.



2. Hang the barbed wire on the  
hook, use a spanner to tension  
the span.





**Anping Yuda Wire Mesh Co., Ltd.**



13785885555



[sales@china-mesh-wire.com](mailto:sales@china-mesh-wire.com)



[wire-metalmesh.com](http://wire-metalmesh.com)

Xiwangzhuang Developing Zone, Anping, Hebei, China