




Electric Galvanized Razor Barbed Wire Razor Wire Fence Security Mesh

Our Product Introduction

for more products please visit us on wire-metalmesh.com

Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Barbed wire
- Minimum Order Quantity: 10 roll
- Price: Determined by size and quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 roll/ day



Product Specification

- Product Name: Barbed Wire
- Key Words: Barbed Iron Wire
- Surface Treatment: Galvanized,PVC Coated
- Razor Type: Cross Razor,Single Razor,barbed Wire
- Sample: Free
- Barb Distance: 7.5cm-15cm
- Barb Length: 1.5cm-3cm
- Coil Diameter: 450mm-900mm
- Highlight: Electric Galvanized Barbed Wire,
Galvanized barbed wire razor,
Galvanized barbed wire razor wire



More Images



Product Description

Electric Galvanized Razor Barbed Wire Razor Wire Fence Security Mesh

Concertina Razor Wire usually attached on "Y" or "V" support and should be mounted razor wire with wire diameter $\Phi=4\text{mm}/3\text{mm}/2.8\text{mm}$ in circles with razor wire coil diameters $\Phi=600\text{mm}$, with distance between circles 150mm-400mm.

Material: Hot Dipped Galvanized sheet Hot Dipped Galvanized Wire / ElectroGalvanized sheet Hot Dipped Galvanized Wire

Core Wire Diameter: $2.7\pm 0.1\text{mm} / 2.5\pm 0.1\text{mm}$

Razor Barbed sheet thickness: $0.45\pm 0.05\text{mm}$

Razor Loop Diameter: 600mm

Other Coil diameter for u choose: 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm.

450mm(3 clips), 500mm(3 clips), 600mm(3 clips)900mm(5 clips) are the usually sizes

Razor Barbed Wire per coil weight: Be produced as customers requirements. (common weight is 7KG 10KG, 12kg,14kg)

Outside Diameter	No.of Loops	Standard Length per Coil	Type	Notes
450 mm	33	8m	CBT-65	Single coil
500 mm	41	10m	CBT-65	Single coil
700 mm	41	10m	CBT-65	Single coil
960 mm	53	13m	CBT-65	Single coil
500 mm	102	16m	BTO-10.15.22	Cross type
600 mm	86	14m	BTO-10.15.22	Cross type
700 mm	72	12m	BTO-10.15.22	Cross type
800 mm	64	10m	BTO-10.15.22	Cross type
960 mm	52	9m	BTO-10.15.22	Cross type

FAQ

1. What's your advantage?

Honest business with competitive price and professional service on export process.

2. Can I customize the products?

Yes, as long as provide specifications, drawings, can only do what you want products

3. How can I know how my order is being done?

We will inspect and test all items in order to avoid damage and missing parts before shipping. The detailed inspection pictures of the order will be sent to you for your confirmation before delivery.

4. Can you give warranty of your products?

Yes, we extend a 100% satisfaction guarantee on all items. Please feel free to feedback immediately if you are not pleased with our quality or service. For the overseas orders, we guarantee most accessories. Provided emails with details including pictures or short video, we will send guide manual or replacements at our cost to repair.

5. How about the payment terms?

T/T (with 30% deposit) , L/C at sight. Western Union. Paypal .




Characteristic

Quality steel is
firm and strong

advanced
welding
technology

Standard
production
Quality first

24 years
Professional
trustworthy
experience



Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China