




## Offshore Platform Steel Grating Anti Slip Heavy Duty 6mm

Our Product Introduction

for more products please visit us on [wire-metalmesh.com](http://wire-metalmesh.com)


### Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Steel gratings
- Minimum Order Quantity: 50 Square Meter
- Price: US \$9.00 - 20.00/ Square Meter
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 100000 Meters/ day




### Product Specification

- Product Name: Steel Grating
- Key Words: Offshore Platform Steel Grating Toothed Steel Grating Anti Slip Platform Steel Grating
- Materials: Low Carbon Steel,Stainless Steel,aluminum Alloy,FRP Etc
- Processing Technology: Pressure Welding,pressure Locked
- Cross Bar Height: 6mm
- Cross Bar Shape: Twisted Square
- Material: Steel
- Load Capacity: Heavy Duty
- Highlight: **offshore platform steel grating, offshore steel gratings, 6mm steel gratings**



### More Images



## Product Description

### Offshore Platform Steel Grating Toothed Steel Grating Anti Slip 6mm

#### Product Specifications

Attribute	Value
Product Name	Steel Grating
Materials	Low carbon steel, Stainless steel, Aluminum alloy, FRP
Processing Technology	Pressure welding, Pressure Locked
Cross Bar Height	6mm
Cross Bar Shape	Twisted Square
Material	Steel
Load Capacity	Heavy Duty

#### Technical Details

**Bearing Bar Size:** Flat steel: 25x3, 25x4, 25x4.5, 25x5, 30x3, 30x4, 30x4.5, 30x5, 32x5, 40x5, 50x5, 65x5, 75x6, 75x10---100x10mm, etc.

**Bearing Bar Pitch:** 12.5, 15, 20, 23.85, 25, 30, 30.16, 30.3, 32.5, 34.3, 35, 38.1, 40, 41.25, 60, 80mm

#### Twisted Cross Bar

**Pitch:** 38.1, 50, 60, 76, 80, 100, 101.6, 120mm, 2" & 4"

**Material Grade:** ASTM A36, A1011, A569, Q235, S275JR, SS304, SS400, Mild steel & Low carbon steel

**Surface Treatment:** Black, self-colour, hot dip galvanized, painted, spray coating

**Grating Style:** Plain / Smooth, Serrated / teeth, I bar, serrated I bar



Corrosion resistant



High temperature resistance



Long use time


#### Key Features

**Anti-slip and drainage:** Open hole design prevents water accumulation and slip accidents

**Heavy-duty support:** Strong structure capable of carrying heavy equipment and vehicles

**Ventilation and light transmission:** Promotes air circulation and natural lighting

**Versatile applications:** Suitable for platforms, walkways, industrial facilities, bridges, and security fences



#### Packaging Details

Each grating labeled with panel number for easy identification

Steel brackets used to secure package (4 pcs for panels under 1500x1000mm)

PVC tape bundling for secure transport

Thermoplastic tags attached to each package

Plastic film wrapping for protection



#### Compliance Standards

**China:** YB/T 4001.1-2007

**USA:** ANSI/NAAMM(MBG531-88)

<b>UK:</b>	BS4592-1987
<b>Australia:</b>	AS1657-1985
<b>Germany:</b>	DIN24537-1-2006
<b>Japan:</b>	JIS



**Anping Yuda Wire Mesh Co., Ltd.**



13785885555



[sales@china-mesh-wire.com](mailto:sales@china-mesh-wire.com)



[wire-metalmesh.com](http://wire-metalmesh.com)

Xiwangzhuang Developing Zone, Anping, Hebei, China