

# Hot Dip Galvanized Farm Woven Iron Wire Net Grassland Sheep Field Fence

## **Basic Information**

Place of Origin: CHINA
Brand Name: YUDA
Model Number: Field fence
Minimum Order Quantity: 10 roll

Price: Decided based on requirements
 Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

Supply Ability: 5000 roll/ day



# **Product Specification**

Product Name: Field Fence

Key Words: High Tensile StrengthMaterial: Low-Carbon Iron Wire

Application: Fence Mesh,grassland,sheep
 Height: 0.8-2.0m Or As Your Demand
 Length: 50m 100m Or As Your Request
 Usage: Protecting Wire Mesh Fence

• Diameter: CUSTOMIZED

• Highlight: Hot Dip Galvanized Field Fence,

Grassland Sheep Field Fence, Farm Woven Iron Wire Net



### **Product Description**

#### Hot Dip Galvanized Farm Woven Iron Wire Net Grassland Sheep Field Fence

Made of high quality carbon steel, is also called cattle fence or grassland fence. Field fences can be divided into fixed knot field fence and hinge joint fencing. With galvanized surface, they have good anti-corrosion effect. They are featured by the high strength, easy installation and long service life and widely used for fencing of various animals such as cattle, horse, sheep and deer. Besides, they also can be used with barbed wire or chicken wire for farm fencing, garden fencing, road fencing, forest fencing and so on.

1,Cattle Fence Material: hot-dipped zinc coated wire, high-tensile steel wires

2,Cattle Fence knot type: hinge knot, fixed knot

3,Cattle FenceSureface treatment

Class A: Hot dipped galvanized hinge joint field fece(zinc coated:220-260g/m2)

Class B: Hot dipped galvanized hinge joint field fence(zinc coated:60-70g/m2)

Class C: Electro galvanized hinge joint field fence(zinc coated:15-20g/m2)

4,Cattle Fence Edge wire:2.0~3.4mm

5, Cattle Fence Mesh wire: 2.0~2.5mm

6,Cattle Fence Height: 80CM,90CM,100CM,110CM,120CM,150CM ,also for your request.

7,Cattle Fence Length: 20m~200m (according to your request)


8,Cattle Fence Openning in cm: Wrap:20-15-14-13-11-8-6cm

Weft :10-15-18-20cm etc,(according to your request)

We have a complete set of quality control system, with which every product has been strictly inspected. Thus, we can provide customers with excellent products and services.

With reliable quality and reasonable prices, we win extensive public praise and credit in the international market. We believe, with support of our customers, through continuous endeavor, Hebei Yongwei Metal Produce Co., Ltd. will make more progress, and make contributions to the development of China wire mesh industry.

Style specification		weight	Edge	Inner
				wire mm
7/150/813/50	102+114+127+140+152+178	19.3	2.5	2.0
8/150/813/50	89(75)+89+102+114+127+140+152	20.8	2.5	2.0
8/150/902/50	89+102+114+127+140+152+178	21.6	2.5	2.0
8/150/1016/50	102+114+127+140+152+178+203	22.6	2.5	2.0
8/150/1143/50	114+127+140+152+178+203+229	23.6	2.5	2.0
9/150/991/50	89(75)+89+102+114+127+140+152+178	23.9	2.5	2.0
			2.5	2.0
10/150/1194/50	89(75)+89+102+114+127+140+152+178+203+229	27.3	2.5	2.0
19/150/1442/50	89+102+114+127+140+152+178+203+229	28.4	2.5	2.0
11/150/1442/50	89(75)+89+102+114+127+140+152+178+203+229	30.8	2.5	2.0







**Anping Yuda Wire Mesh Co., Ltd.** 



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China