



High Tensile Field Fence for Animal Farm Guard

Our Product Introduction

for more products please visit us on wire-metalmesh.com

Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Field fence
- Minimum Order Quantity: 10 roll
- Price: Decided based on requirements
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 5000 roll/ day



Product Specification

- Product Name: Field Fence
- Key Words: High Tensile Strength
- Material: Low-Carbon Iron Wire
- Application: Fence Mesh,grassland,sheep
- Height: 0.8-2.0m Or As Your Demand
- Length: 50m 100m Or As Your Request
- Usage: Protecting Wire Mesh Fence
- Diameter: CUSTOMIZED
- Highlight: Fixed Knot Metal Wire Netting,
Animal Farm Guard Metal Wire Netting,
High Tensile Metal Wire Netting



Product Description

Fixed Knot Animal Farm Guard Woven High Tensile Metal Wire Netting

Product Specifications

Attribute	Value
Product Name	Field Fence
Material	Low-Carbon Iron Wire
Application	Fence Mesh, Grassland, Sheep
Height	0.8-2.0m or customized
Length	50m, 100m or customized
Usage	Protecting Wire Mesh Fence
Diameter	Customized

Product Description

Our Fixed Knot Animal Farm Guard Woven High Tensile Metal Wire Netting features an innovative and firm structure with flat surface, uniform openings, and excellent integration. This high-quality fencing solution offers exceptional flexibility, pressure resistance, corrosion resistance, and weather resistance for long-lasting performance.

Key Features

- Galvanized knot construction with beautiful surface finish
- Simple yet durable structure
- High tensile strength with impact resistance
- Strong corrosion resistance for extended service life
- Easy to assemble and install

Applications

- Ideal for cattle, goat, deer, and pig enclosures
- Perfect for grassland and pasture protection
- Suitable for ecological protection projects
- Used in forestry, highway, and environmental applications

Packaging

Each fence roll is wrapped in protective plastic film to prevent moisture damage, then secured on wooden or metal pallets or shipped in bulk as required.

Technical Specifications

Style Specification	Weight (kg)	Edge Wire (mm)	Inner Wire (mm)
7/150/813/50	102+114+127+140+152+178	2.5	2.0
8/150/813/50	89(75)+89+102+114+127+140+152	2.5	2.0
8/150/902/50	89+102+114+127+140+152+178	2.5	2.0
8/150/1016/50	102+114+127+140+152+178+203	2.5	2.0
8/150/1143/50	114+127+140+152+178+203+229	2.5	2.0
9/150/991/50	89(75)+89+102+114+127+140+152+178	2.5	2.0
10/150/1245/50	102+114+127+140+152+178+203+229	2.5	2.0
10/150/1194/50	89(75)+89+102+114+127+140+152+178+203+229	2.5	2.0
19/150/1442/50	89+102+114+127+140+152+178+203+229	2.5	2.0
11/150/1442/50	89(75)+89+102+114+127+140+152+178+203+229	2.5	2.0

Our Services

Prompt response to all inquiries within 12 hours

Sample production and delivery service available

Customization options including logo printing, design, and materials

FOB or CIF quotations available

Strict quality control before shipment

Quality guarantee with return policy for defective products





Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China