



Customized Plant Welded Wire Mesh Roll Galvanized Weld Netting Fence Panel

Our Product Introduction


Basic Information

- Place of Origin: CHINA HEBEI
- Brand Name: YUDA
- Model Number: Welded wire mesh
- Minimum Order Quantity: 10 roll
- Price: Determined by size and quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 roll/ day



Product Specification

- Product Name: Welded Wire Mesh
- Key Words: Fine Wire Diameter
- Hole Shape: Square, Rectangle
- Wire Diameter: 2.0-4.0mm Or Custom
- Hole Size: Customer Request
- Surface Treatment: Galvanized/pvc Coated
- Characteristics: Corrosion-resisting And Oxidation-resisting.
- Welding Type: Galvanized Before Welding, Galvanized After Welding
- Highlight: Customized Plant Fence Panel, Galvanized Weld Netting Fence Panel, Customized Plant Welded Wire Mesh



for more products please visit us on wire-metalmesh.com

Product Description

Customized Plant Welded Wire Mesh Roll Galvanized Weld Netting Fence Panel

Welded wire mesh panels are used extensively in garden fencing, prison fencing, factory fencing animal fencing, and other site security fencing, decorative mesh, plaster mesh.

High quality raw materials

High quality raw materials can improve the strength and durability of welded wire mesh. Tiedi Metal chooses high quality low carbon steel wire, which are very strong and toughness. Each batch of TIEDI raw materials is subject to tensile strength test, which ensures that our products maintain the high level in the metal materials industry.

Advanced equipment

Tiedi Metal uses the specially improved welding machines to ensure opening uniform, welding firmness and flatness. And it not only can improve production efficiency to ensure delivery time of your order, but also reduce production cost to enhance your market competitiveness.

Precise control of welding parameters

During the welding process, strictly control welding parameters such as welding current, voltage, speed, pressure, etc. Ensure weld quality and consistency for each solder joint, avoiding defects or fluctuations in quality. And evaluate the strength and reliability of the product through methods such as tensile test, bending test and fracture test.

Regular maintenance of electrodes

We choose appropriate electrodes with good conductivity, thermal conductivity, wear resistance, and stability, and regularly sand down the notches or grooves generated during work. This can improve welding quality, reduce welding defects, and improve production efficiency.

Philippines Welded Wire Mesh Specification				
Surface Treatment	Specification	Wire Diameter	Weight	Package
Electro Galvanized	1/2"*1/2"*3ft*25 m	0.457mm	7kg	Moisture proof paper+plastic film Customization
	1"*1"*3ft*25m			
	1"*1"*4ft*25m			
	1"*1"*3ft*30m	0.61mm		
	0.7mm			
		0.65mm		
PVC Coated	1/2"*1/2" 3ft*30m		15kg	
	2"*2" 6ft*25m	1.2mm		
Hot Dipped Galvanized	2"*2" 4ft*25m	2.9mm	10.8kg	
Customizable in size, packaging, and surface treatment				



WORKSHOP

WELDED WIRE MESH



Hebei Anping County Yuda Wire Mesh Co., Ltd established in 1994, With more than 20 years experience of manufacturing wire mesh products.



Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China