

# Stainless Steel Gabion Baskets for Retaining Walls

## **Basic Information**

Place of Origin: CHINABrand Name: YUDA

Model Number: Gabion mesh
Minimum Order Quantity: 100 Square Meter
Price: discuss personally

Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

• Supply Ability: 200000 Square Meter/ day



# **Product Specification**

Product Name: Wire Mesh Baskets Retaining Walls
Key Words: Stainless Steel Gabion Baskets

• Application: Gabions, Cages, slope Protection, Fence

Mesh, Construction Wire Mesh

• Type: Welded Mesh, Hexagonal Wire Mesh

Surface Treatment: Stainless SteelWire Gauge: 2.0mm-4.0mm

Usage: Flood Control Retaining Wall

• Place Of Origin: Anping, China

• Highlight: Galvanized Gabion Box,

Hexagonal Mesh Gabion Box, PVC Coated Gabion Box



### PVC Coated Woven Hexagonal Mesh Galvanized Gabion Box Gabion Retaining Wall

### **Product Specifications**

Attribute	Value		
Product name	wire mesh baskets retaining walls		
Key words	stainless steel gabion baskets		
Application	Gabions, Cages, slope protection, Fence Mesh, Construction Wire Mesh		
Туре	Welded Mesh, Hexagonal wire mesh		
Surface treatment	stainless steel		
Wire Gauge	2.0mm-4.0mm		
Usage	Flood Control Retaining Wall		
Place of Origin	Anping, China		

#### **Product Description**

Gabion basket made from high corrosion resistance, high strength, ductility low carbon steel wire or PVC coated steel wire using mechanical weaving. The net made box structure forms the gabion basket.

#### **Material Options**

Galvanized steel wire: High quality low carbon steel wire (2.0MM-4.0MM diameter) with tensile strength ≥380Mpa. Hot dip galvanized surface protection with zinc coating up to 300g/m².

Zinc-5% aluminum-mixed rare earth alloy steel wire (Golfan): Superior corrosion resistance (3x traditional galvanized). Wire diameter 1.0MM-3.0MM with tensile strength ≥1380Mpa.

**PVC coated galvanized steel wire:** PVC protective layer enhances durability in polluted environments while allowing color matching with surroundings.

#### **Technical Specifications**

Hole (mm)	Mesh wire (mm)	Side wire (mm)	Binding wire (mm)	Max width
60X80	2.0~2.8	3.0~4.0	2.0~2.2	4M
80X100	2.0~3.0	3.0~4.0	2.0~2.2	4M
80X120	2.0~3.0	3.0~4.0	2.0~2.2	4M
100X120	2.0~3.0	3.0~4.0	2.0~2.2	4M
100X150	2.0~3.0	3.0~4.0	2.0~2.2	4M
120X150	2.0~3.0	3.0~4.0	2.0~2.2	4M







**Anping Yuda Wire Mesh Co., Ltd.** 



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com