

400 250 100 Mesh Plain Woven Pure Ultra Fine Copper Mesh Screen Cloth Fabric

Basic Information

Place of Origin: CHINABrand Name: YUDA

Model Number: Brass / copper wire mesh

Minimum Order Quantity: 100 Square MeterPrice: Reconsideration

Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 200000 Square Meter/ day



Product Specification

Product Name: Brass Hardware Cloth
 Key Words: Brass Hardware Cloth

Material: Copper Wire, Brass Wire, phoshpor Bronze

Wire

Hole Shape: Square Hole
Mesh Count: 1-200mesh
Wire Diameter: 0.05mm-2.03mm
Weave Type: Plain Woven Weave

Application: Shielding

• Processing Service: Bending, Welding, Decoiling, Cutting,

Punching

• Highlight: Copper 400 Mesh Screen Cloth Fabric,

Copper 250 Mesh Screen Cloth Fabric, Copper 100 Mesh Screen Cloth Fabric



Product Description

400 250 100 Mesh Plain Woven Pure Ultra Fine Copper Mesh Screen Cloth Fabric

Copper wire mesh used for screen of various kinds of particles, powder, porcelain clay, glass, chinaware printing, filtering liquid and gas, Faraday cage. High quality copper wire, woven firmly, corrosion resistance, wear resistance. High finish, easy maintenance, simple structure, uniform thickness. The use of precision automatic mechanical technology processing more fine work. High strength tensile toughness and wear resistance durable.

10-350 mesh copper net Anti-static grounding net anti-radiation electromagnetic signal shielding filter copper wire mesh used for screen of various kinds of particles, powder, porcelain clay, glass, chinaware printing, filtering liquid and gas, Faraday cage Copper wire cloth is excellent for marine and out of door applications because of its immunity to rust and salt solutions

Material

Brass wire mesh:(Brass 65%,zinc35%,Brass 80%,zinc 20%

Red copper wire.(Pure copper 99.8%). Phosphor bronze wire mesh: (Cu85%-95%)

FAC

1. Are you factory or trading company?

We are factory, and covers an area of 120,00 square meters, welcome to our factory for inspection.


2. Can we get a sample?

Of course, free samples will be provided any time.

3.Can you design for me?

Yes, we suppy the professional drawing for you, and produce as your detail requirement, and we also have the installation instruction for your reference

Mesh/inch	Wire diameter (mm)	Aperture (mm)	Mesh/inch	Wire diameter (mm)	Aperture (mm)
2mesh	1.80	10.90	40mesh	0.21	0.425
3mesh	1.60	6.866	50mesh	0.19	0.318
4mesh	1.20	5.15	60mesh	0.15	0.273
5mesh	0.91	4.17	70mesh	0.14	0.223
6mesh	0.80	3.433	80mesh	0.12	0.198
8mesh	0.60	2.575	90mesh	0.11	0.172
10mesh	0.55	1.99	100mesh	0.10	0.154
12mesh	0.50	1.616	120mesh	0.08	0.132
14mesh	0.45	1.326	140mesh	0.07	0.111
16mesh	0.40	1.188	150mesh	0.065	0.104
18mesh	0.35	1.060	160mesh	0.065	0.094
20mesh	0.30	0.970	180mesh	0.053	0.088
26mesh	0.28	0.696	200mesh	0.053	0.074
30mesh	0.25	0.596			







Xiwangzhuang Developing Zone, Anping, Hebei, China