CHINA YUDA

requirements

MoneyGram

5000 roll/ day

3-10 day

Hot Dipped Galvanized BTO-18 Concertina Barbed Wire Rolls 50kg

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: Barbed wire
- Minimum Order Quantity: 10 roll
- Packaging Details:
- Delivery Time:

• Price:

- Payment Terms:
- Supply Ability:



Product Specification

- Product Name:
- Key Words:
- Surface Treatment:
- Razor Type:
- Sample:
- Barb Distance:
- Barb Length:
- Coil Diameter:
- Highlight:
- Barbed Wire Barbed Iron Wire Galvanized,PVC Coated Cross Razor,Single Razor,barbed Wire Free 7.5cm-15cm 1.5cm-3cm 450mm-900mm

Determined by size and quantity

Customized according to buyer's

L/C, D/A, D/P, T/T, Western Union,

50kg Concertina Barbed Wire, Hot Dipped Galvanized Concertina Barbed Wire, BTO-18 Concertina Barbed Wire



Product Description

Hot Dipped Galvanized Barb Wire Rolls 50kg Barbed Wire Price

Razor barbed wire, also known as razor barbed wire and razor barbed net, is a new type of protective net.

It is composed of sharp blade shapes punched out from hot-dip galvanized steel sheets or stainless steel sheets, combined with high-tensile galvanized steel wires or stainless steel wires as the core wires.

Razor wire is a type of security fencing that is designed to prevent unauthorized access to a particular area. The sharp, pointed edges of razor wire make it extremely difficult to climb or cut through, providing a strong deterrent to potential intruders.

Application: Razor wire is widely used in wild fences, chain link fences and welded fences, and provides general safety. It is usually installed on the top of a cattle fence to restrain the cattle. The concertina razor wire is very powerful and can threaten deliberate intrusion. It is the best choice for prisons, military bases and places that require a high level of security.

Razor barbed wire packages:

1.Be Wrapped with waterproof paper and woven bag, and then tied by steel strip.

- 2. Carton (Mostly for stainless steel concertina wire).
- 3. Fumigation Wooden Pallet.
- 4. Customized.

Features

- * High Protection Level
- * Easy Installation
- * Economical and Practical
- * Good Corrosion Resistance
- * Obvious Deterrence Effect
- * Relatively Good Aesthetics

Outside Diameter	No.of Loops	Standard Length per Coil	Туре	Notes
450 mm	33	8m	CBT-65	Single coil
500 mm	41	10m	CBT-65	Single coil
700 mm	41	10m	CBT-65	Single coil
960 mm	53	13m	CBT-65	Single coil
500 mm	102	16m	BTO-10.15.22	Cross type
600 mm	86	14m	BTO-10.15.22	Cross type
700 mm	72	12m	BTO-10.15.22	Cross type
800 mm	64	10m	BTO-10.15.22	Cross type
960 mm	52	9m	BTO-10.15.22	Cross type

1. Our company produce various specifications, models as per standards

2. Using high -quality material and advanced production technology and equipment for processing

Our advantages

3. Applicable to a humid climate and the harsh corrosive enviroment

4. Products has been exported to Europe,North American,the Middle East,South East Asia,Africa,Asia,European,other countries and regions

Our tenet is Prestinge First, Quality First, Efficiency First and Service First.

- All inquires will be replied within 8 hours
- + High Quality, Reasonable prices, prompt delivery, perfect after-sales services.
- Quality Quarantee:
 - A. All goods strictly inspected during production.
 - B. All products must be checked strictly before packing.
 - C. Every consignment must be re-inspected before shipment.

