



## Building Construction Round Wood Nails Made Of Galvanized Steel

### Our Product Introduction

for more products please visit us on [wire-metalmesh.com](http://wire-metalmesh.com)


#### Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Nails
- Minimum Order Quantity: 2 Ton
- Price: Reconsideration
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 Ton/ day



#### Product Specification

- Product Name: Concrete Nails
- Key Words: Concrete Screws Nails
- Surface Treatment: Galvanized Or Stainless Steel
- Usage: Building Construction
- Sample: Free Sample
- Place Of Origin: Tianjin Port
- Highlight: **Galvanized Steel Round Wood Nails, Round Wood Nails, Building Construction Round Wood Nails**



## Product Description

### Round Common Wood Nails Raw Material Wire Nails High Quality

Common types of cement nails: made of carbon steel, with a smooth surface and low cost, suitable for ordinary fixed needs.  
Threaded nails: The nail body has threads, which has strong pull resistance and is suitable for high load-bearing scenarios.  
Stainless steel nails: strong corrosion resistance and are suitable for wet or chemically corroded environments.

precautions

Select the nail type based on the usage scenario (e.g. stainless steel is preferred in humid environments).  
The installation depth should meet the design requirements to avoid looseness caused by being too shallow.  
Regularly inspect the anti-corrosion treatment (such as applying anti rust paint to carbon steel nails).

Q: Can we print our own logo ?

A: Yes, we can make it according to your request.

Supplier Competitive Price Steel Galvanized Galvan Concrete Nail

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity.

Supplier Competitive Price Steel Galvanized Galvan Concrete Nail

Q: What is your payment term?


A: Generally, 30% T/T in advance ,balance before shipment or against B/L copy.

Please feel free to contact us for detailed information:

### Concrete screws nails product display

Specifications	Length	Diameter of shank	Diameter of head
1 inch	30mm	2.4mm	4.3mm
1.5 inch	40mm	3mm	5.9mm
2 inch	50mm	3.4mm	6.5mm
2.5 inch	60mm	3.6mm	7mm
2.8 inch	70mm	4mm	7.6mm
3 inch	80mm	4.5mm	8.9mm
4 inch	100mm	4.7mm	9.5mm

Price Description:Due to fluctuations in raw material prices,Product Price,Shipping Cost Just for Reference,For detailed quotations, please contact customer service.





**Anping Yuda Wire Mesh Co., Ltd.**



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China