

Q195 Carbon Steel Polished Common Nails Durable Fastening

Basic Information

Place of Origin: CHINA
Brand Name: YUDA
Model Number: Nails
Minimum Order Quantity: 2 Ton

• Price: Reconsideration

Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 100 Ton/ day



Product Specification

• Product Name: Concrete Nails

• Key Words: Concrete Screws Nails

• Surface Treatment: Galvanized Or Stainless Steel

• Usage: Building Construction

Sample: Free SamplePlace Of Origin: Tianjin Port

• Highlight: Polished Common Nails,

Q195 Carbon Steel Common Nails, Durable Fastening Common Nails



Product Description

Q195 Carbon Steel Polished Steel Common Nails From Manufacture

Features

1. The surface after polishing and electroplating, strong resistance, anti-corrosion and antirust. 2. Produced with high quality 45#carbon steel. 3. Widely used for home decoration can hold the wall tightly. 4. Groove is clear, surface is smooth, no burr. 5. Galvanized treatment, refused to rust, durable bright. 6. Nails are more sharp, easy to nail in, save time. 7.45#carbon steel material, higher hardness, more efficient. 8. Nails can be customized to meet your different needs.

Material characteristics

Carbon steel: high strength, low cost, but prone to rusting, requiring surface galvanizing or anti rust coating. Stainless steel: containing chromium element, excellent corrosion resistance, suitable for high humidity or chemical environments.

Alloy steel: with higher hardness, suitable for high-strength load-bearing scenarios (such as steel structure connections).

FAQ

Q: Can we print our own logo ?

A: Yes, we can make it according to your request.

Supplier Competitive Price Steel Galvanized Galvan Concrete Nail

Q: How long is your delivery time?

A: Generally it is 5-10 days if the goods are in stock. or it is 15-20 days if the goods are not in stock, it is according to quantity. Supplier Competitive Price Steel Galvanized Galvan Concrete Nail

Q: What is your payment term?

A: Generally, 30% T/T in advance before shippment or against B/L copy.

Please feel free to contact us for detailed information:

Concrete screws nails product display

Specifications	Length	Diameter of shank	Diameter of head
1 inch	30mm	2.4mm	4.3mm
1.5 inch	40mm	3mm	5.9mm
2 inch	50mm	3.4mm	6.5mm
2.5 inch	60mm	3.6mm	7mm
2.8 inch	70mm	4mm	7.6mm
3 inch	80mm	4.5mm	8.9mm
4 inch	100mm	4.7mm	9.5mm

Price Description:Due to fluctuations in raw material prices,Product Price,Shipping Cost Just for Reference,For detailed quotations, please contact customer service.







R A

Anping Yuda Wire Mesh Co., Ltd.



13785885555





wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China