



304L Stainless Steel Filter Wire Mesh Metal Screen Mesh Test Sieve Sieve Net

Basic Information

Place of Origin: CHINABrand Name: YUDA

Model Number: Stainless steel wire mesh

Minimum Order Quantity: 10 roll

Price: Determined by size and quantityPackaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 5000 rolls/ day



Product Specification

Product Name: Stainless Steel Wire Mesh
Key Words: Stainless Steel Wire Mesh
Material: SUS302,304,316,304L,316L Etc.
Mesh: 1-3200mesh Can Custom
Width: 0.5m-3m Or Customized

Wire Diameter: Customized According To Customer

Requirements

• Type: Weave Wire Mesh

• Weave Style: Plain Weave, Twill Weave, Dense Weave

Highlight: 304L Stainless Steel Wire Mesh,

Metal Screen Wire Mesh, Test Sieve Stainless Wire Mesh



Product Description

Stainless Steel Filter Wire Mesh Metal Screen Mesh Test Sieve Sieve Net

Plain weave: With the same density of warp and weft threads, it is the most common weaving method and has good filtration performance, suitable for filtering liquids and gases.

Twill weave: Stainless steel wire mesh has high strength and is suitable for screening particles and solids.

Seat weave: also known as dense weave, with high filtration accuracy, suitable for precision filtration.

characteristic

Strong corrosion resistance: It can resist the erosion of chemical substances such as acid and alkali, and can be used for a long time in harsh chemical environments, maintaining stable filtration performance.

High strength: Strong tensile strength, toughness, and wear resistance, durable, not easily deformed, able to withstand large pressures and tensile forces, ensuring the stability of the filtration process.

High temperature oxidation resistance: Stainless steel screens made of different materials have different high temperature resistance properties. For example, 304 stainless steel screens have a nominal temperature tolerance of 800 degrees Celsius, while 310S stainless steel screens can have a nominal temperature tolerance of up to 1150 degrees Celsius.

Stainless Steel Woven Wire Mesh, Wire Cloth
304, 304L, 316, 316L, 310s, 904L, 430, etc
Inconel, Monel, Nickel, Titanium, etc
0.02 - 6.30mm
1 - 3500mesh
Plain Weave
Twill Weave
Dutch or 'Hollander' Weave
Plain Dutch Weave
Twill Dutch Weave
Reverse Dutch Weave
Multiplex Weave
Standard less than 2000 mm
30m rolls or cut to length, minimum 2m
Rolls and sheets are available
ASTM E2016 - 20

FAQ

Q: I have a sample of the mesh I need but I don't know how to describe it, can you help me?

A: Yes, please send us the sample and we will contact you with the results of our examination.

Q: Can I deform and further process the mesh?

A: Yes, any kind of deforming and processing is possible.

Q:Do you provide sample?is it free or extra?


A:Yes,we could offer the sample for free charge but do not pay the cost of freight.

Q:How long is your delivery time?

A:Generally it is 3-10 days if the goods are in stock or it is 10-20 days if the goods are not in stock ,it is according to quanlity .

Q:What's your terms of payment?

A:30%T/T in advance ,balance paid before shippment.



Xiwangzhuang Developing Zone, Anping, Hebei, China