CHINA

requirements

MoneyGram 5000 rolls/ day

3-10 day

316L Stainless Steel Protecting Mesh And Flexible Wire Woven Netting Perfect Combination For Slope Protection

Basic Information

- Place of Origin:
- Brand Name: YUDA
 Model Number: Stainless Steel Wire Rope Net
 Minimum Order Quantity: 10 roll
- Minimum Order Quantity:Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- -
- Supply Ability:



orr'l

Product Specification

- Product Name:
- Key Words:
- Material:
- Wire Diameter:
- Type:
- Usage:
- Processing Service:
- Length:
- Highlight:
- Stainless Steel Wire Rope Net Stainless Steel Wire Rope Net SUS302,304,316,304L,316L Etc. Customized According To Customer Requirements Weave Wire Mesh Protecting Mesh, Architectural MESH,Fence Mesh,Zoo, Farm, Greenhouse

Determined by size and quantity

Customized according to buyer's

L/C, D/A, D/P, T/T, Western Union,

- e: Welding, Decoiling
 - Customers' Requirement
 - 316L Stainless Steel Protecting Mesh, Stainless Steel Wire Woven Netting



Our Product Introduction

Stainless Steel Slope Protection Flexible Steel Wire Woven Netting

The stainless steel wire rope net has a flat surface and uniform mesh holes. It is woven with high-quality stainless steel wire and has a sturdy overall structure that can withstand large external forces without deformation or damage

Light weight, good flexibility, simple and convenient installation process, no need for complex tools and equipment, can greatly shorten installation time and cost, and can be cut and spliced on site according to actual needs to adapt to different size and shape requirements.

As a high-altitude anti falling object net, bridge fence, staircase handrail, etc., it can effectively prevent the occurrence of highaltitude falling object accidents, protect the safety of personnel and vehicles, and is widely used in high-risk areas such as old buildings and construction sites

There are mainly 304, 304L, 316, 316L, etc. Among them, 304 stainless steel has good corrosion resistance and oxidation resistance, and can be used for a long time in general environments; 304L is a low-carbon 304 stainless steel with better resistance to intergranular corrosion; 316 stainless steel has better corrosion resistance due to the addition of molybdenum element, especially with stronger corrosion resistance to seawater, saltwater, etc; 316L is a low-carbon 316 stainless steel, which further enhances its resistance to intergranular corrosion.

model	structure	U U	Wire rope diameter (mm)	Mesh size (mm)
BN3212 0	7*19	7.38	3.2	120*208
BN2470		4.18	2.4	70*102
BN2010 0	7*7	3.17	2.0	100*173
BN1680	7*7	2.17	1.6	80*140



