




Reinforcement Building Fiber Glass Alkali Resistant Mesh

Our Product Introduction


Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Certification: IOS
- Model Number: Glass fibre mesh
- Minimum Order Quantity: 100 Square Meter
- Price: Further discussion based on the purchase quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 rolls/ day



Product Specification

- Product Name: Fiberglass Mesh
- Key Words: Reinforced Fiberglass Mesh Netting For Concrete Fiberglass Mesh Plaster Net
- Material: Fiberglass Yarn
- Size: Can Be Custom Made
- Colors: White, Yellow, blue
- Aperture: 4*4mm, 5*5mm Etc.
- Coating: Emulsion Coated, Urea Glue Coated
- Highlight: **Alkali Resistant Fiberglass Mesh, Fiber Glass Alkali Resistant Mesh, Building Fiberglass Alkali Resistant Mesh**



for more products please visit us on wire-metalmesh.com

Product Description

Fiberglass Mesh Reinforcement Building Fiber Glass Alkali Resistant Mesh

Mesh size: Common sizes include 5mm x 5mm, 4mm x 4mm, 3mm x 3mm, etc. Different application scenarios have different requirements for mesh size, such as 5mm x 5mm or 4mm x 5mm mesh commonly used for exterior wall insulation.

Weight: The weight per square meter is generally between 80g-165g. Mesh fabrics with larger weight have higher strength and are suitable for situations with higher strength requirements.


Width: usually 1000mm-2000mm, suitable width can be selected according to actual construction needs.

Length: Each roll comes in various specifications such as 50m, 100m, or 200m, and can also be customized according to customer requirements.

Interior wall insulation mesh cloth: made of medium alkali or alkali free glass fiber mesh cloth as the substrate, and then coated with modified acrylic copolymer adhesive solution. It has the characteristics of light weight, high strength, temperature resistance, alkali resistance, waterproofing, corrosion resistance, cracking resistance, and dimensional stability. It is commonly used for wall renovation and interior wall insulation, and can effectively avoid cracking of the plaster layer.

External wall insulation mesh fabric: made of medium alkali or alkali free glass fiber yarn as raw material, woven into mesh fabric, coated with acrylic copolymer solution and dried. Stable structure, high strength, and good alkali resistance, mainly suitable for strengthening and crack prevention on the inner and outer surfaces of buildings, it is a commonly used building material for external wall insulation engineering.

Application	Wall Materials Fiberglass mesh
Weight	50-1800g Support customization
Width	Support customization
Mesh Size	Support customization
Weave Type	Plain Woven
Yarn Type	E-glass
Alkali Content	Alkali Free
Standing Temperature	-70 - +550
Processing Service	Cutting, Decoiling, Bending
Mesh Size	Customized
Product name	Fiberglass Mesh Cloth
Material	100% Fiberglass
Feature	Great Alkaline-resistant Fiberglass Mesh
Fiberglass sample	Provide Fiberglass Mesh Sample
Length	50m Support customization





Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China