



Fiberglass Plastering Wall Mesh Cloth Roll Fiberglass Self Adhesive Mesh

Basic Information

Place of Origin: CHINABrand Name: YUDACertification: IOS

Model Number: Glass fibre meshMinimum Order Quantity: 100 Square Meter

• Price: Further discussion based on the purchase

quantity

Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 5000 rolls/ day



Product Specification

• Product Name: Fiberglass Mesh

• Key Words: Reinforced Fiberglass Mesh Netting For

Concrete Fiberglass Mesh Plaster Net

Material: Fiberglass Yarn

Size: Can Be Custom Made
Colors: White,Yellow ,blue
Apertue: 4*4mm,5*5mm Etc.

• Highlight: fiberglass mesh roll for plastering,

self adhesive fiberglass mesh cloth, fiberglass wall mesh with adhesive



Product Description

Fiberglass Plastering Wall Mesh Cloth Roll Fiberglass Self Adhesive Mesh

Glass fiber gridding cloth is made of glass fiber woven fabric as the base material and coated with high molecular anti lotion. As a result, it has good alkali resistance, flexibility, and high tensile strength in the longitudinal and latitudinal directions, and can be widely used for insulation, waterproofing, fire prevention, crack resistance, and other purposes on the interior and exterior walls of buildings. Glass fiber mesh fabric is mainly made of alkali resistant glass fiber mesh fabric, which is made of medium alkali free glass fiber yarn (mainly composed of silicates, with good chemical stability) twisted and woven with a special organizational structure - gauze weave, and then subjected to high-temperature heat setting treatment such as alkali resistance and reinforcing agents tation and outstanding tensile strength. During use, avoid manual contact and wear gloves to prevent fine fibers from causing damage to the hands.

Fiberglass mesh fabric is a mesh material woven from fiberglass yarns. Glass fiber has excellent properties such as high strength, corrosion resistance, and high temperature resistance, which enable mesh cloth to play an important role in construction projects.

Do not stick it under the wall coating to prevent wall cracking caused by thermal expansion and contraction.

Do not touch with your hands, wear rubber gloves when touching, as the fibers are very fine and can harm your hands.

FAQ

Q:Are you a factory or a trading company?

A:We have our own factory.

Q:Why did you choose us?

A:Our products are of good quality and favorable price, and have won many awards.

Q:What's your delivery time?


A:About 15 days.

Q:What are your main products?

A:Our products include various specifications of oil pipeline insulation layer, FPR based fiberglass cloth, waterproof roll based GF cloth, anticorrosive GF cloth, GF roving, short cut GF and other composite materials.

	t
Application	Wall Materials Fiberglass mesh
Weight	50-1800g Support customization
Width	Support customization
Mesh Size	Support customization
Weave Type	Plain Woven
Yarn Type	E-glass
Alkali Content	Alkali Free
Standing Temperature	-70 - +550
Processing Service	Cutting, Decoiling, Bending
Mesh Size	Customized
Product name	Fiberglass Mesh Cloth
Material	100% Fiberglass
Feature	Great Alkaline-resistant Fiberglass Mesh
Fiberglass sample	Provide Fiberglass Mesh Sample
Length	50m Support customization







Xiwangzhuang Developing Zone, Anping, Hebei, China