




Building Fiberglass Roll High Temperature Resistant Fiberglass Mesh

Our Product Introduction


Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Certification: IOS
- Model Number: Glass fibre mesh
- Minimum Order Quantity: 100 Square Meter
- Price: Further discussion based on the purchase quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 rolls/ day



Product Specification

- Product Name: Fiberglass Mesh
- Key Words: Reinforced Fiberglass Mesh Netting For Concrete Fiberglass Mesh Plaster Net
- Material: Fiberglass Yarn
- Size: Can Be Custom Made
- Colors: White, Yellow, blue
- Aperture: 4*4mm, 5*5mm Etc.
- Highlight: **high temperature resistant fiberglass mesh, building fiberglass roll mesh, fiberglass mesh roll for construction**



Product Description

Building Fiberglass Roll High Temperature Resistant Fiberglass Mesh

The gridding cloth is a series of glass fiber gridding cloth products, which are woven with medium alkali or alkali free glass fiber yarn and coated with alkali resistant polymer lotion: alkali resistant GRC glass fiber gridding cloth, alkali resistant wall reinforcement, special mesh and stone for mosaics, and marble backing gridding cloth.

Glass fiber gridding cloth is made of glass fiber woven fabric as the base material and coated with high molecular anti lotion. As a result, it has good alkali resistance, flexibility, and high tensile strength in the longitudinal and latitudinal directions, and can be widely used for insulation, waterproofing, fire prevention, crack resistance, and other purposes on the interior and exterior walls of buildings. Glass fiber mesh fabric is mainly made of alkali resistant glass fiber mesh fabric, which is made of medium alkali free glass fiber yarn (mainly composed of silicates, with good chemical stability) twisted and woven with a special organizational structure - gauze weave, and then subjected to high-temperature heat setting treatment such as alkali resistance and reinforcing agents.

FAQ

Q:Are you a factory or a trading company?

A:We have our own factory.

Q:Why did you choose us?

A:Our products are of good quality and favorable price, and have won many awards.

Q:What's your delivery time?

A:About 15 days.

Q:What are your main products?

A:Our products include various specifications of oil pipeline insulation layer, FPR based fiberglass cloth, waterproof roll based GF cloth, anticorrosive GF cloth, GF roving, short cut GF and other composite materials.

Application	Wall Materials Fiberglass mesh
Weight	50-1800g Support customization
Width	Support customization
Mesh Size	Support customization
Weave Type	Plain Woven
Yarn Type	E-glass
Alkali Content	Alkali Free
Standing Temperature	-70 - +550
Processing Service	Cutting, Decoiling, Bending
Mesh Size	Customized
Product name	Fiberglass Mesh Cloth
Material	100% Fiberglass
Feature	Great Alkaline-resistant Fiberglass Mesh
Fiberglass sample	Provide Fiberglass Mesh Sample
Length	50m Support customization



Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

