




Agriculture Plastic Green Mesh Plastic Flat Breeding Net Chicken Floor Mesh

Our Product Introduction


Basic Information

- Place of Origin: CHINA
- Brand Name: YUDA
- Model Number: Plastic flat net
- Minimum Order Quantity: 100 Square Meter
- Price: Further discussion based on quantity
- Packaging Details: Customized according to buyer's requirements
- Delivery Time: 3-10 day
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 200000 Square Meters/ day



Product Specification

- Product Name: Plastic Net
- Keys Words: 400g White Black Pe Plastic Net Chicken Net Garden Net Mesh
- Color: Black, White, Green, Orange, Red Or Customized
- Material: HDPE
- Hole Shape: Diamon, Square, Hexagonal Etc.
- Usage: Multi-purpose
- Processing Servic: Cut, Edge Sealing
- Length: Customization
- Highlight: **plastic chicken floor mesh, agriculture green mesh net, plastic breeding net for poultry**



Product Description

Agriculture Plastic Green Mesh Plastic Flat Breeding Net Chicken Floor Mesh

Plastic flat mesh (extruded mesh) is a mesh product made from plastic particles such as polyethylene (PE) and polypropylene (PP), melted by an extruder, formed by a rotating die, cooled and solidified.

It is made of PE/PP plastic with anti-aging additives, which is not ordinary plastic. The weather resistance is extremely strong, reaching 10-15 years, which means it can stably function in various harsh natural environments. The weight of a single roll is between 30-50kg, which not only ensures the strength of the product, but also takes into account the characteristics of lightweight and easy handling. Even an adult can easily move it, making transportation and installation convenient.

Sun and frost resistance

It can maintain its shape in extreme temperature environments ranging from -30 to 70 . Like the cold winter in the north, wire mesh may become brittle and prone to breakage due to low temperatures, but this plastic flat mesh is safe and sound; In the scorching summer of the south, it will not soften due to high temperatures. It will not become brittle after being used outdoors for up to 10 years. In contrast, wire mesh usually begins to rust after 3-5 years, greatly shortening its service life and posing safety hazards.

FAQ

Q : What is the term of payment ?

A : As general , 30% T/T down payment and balance before shipping.

Q : What is delivery time ?

A : It depends on the order quantity .

As general , within 10 days.

Q : Which port will be used as loading port ?

A : Shanghai port.


Q : May I know the status of my order ?

A : Yes . We will send you information and photos at different production stage of your order .You can also get the latest information on our contract tracking system.

Q: Could you provide free samples ?

A: For new customer , We can provide free samples , But the clients will pay the express charges . For old customer , We will send you free samples and pay to express charges by ourself.

Specifications			
Opening(cm)	Plate thickness (mm)	Roll diameter(cm)	Weight per roll(kg)
3	1	20	30
4	1	20	30
6	1	20	30
0.8	1	35	40
1	1.2	30	35
1.5	2	30	40
3	2.5	45	50
2	1.5	50	55
3	3	50	25
2	4.5	50	85



Anping Yuda Wire Mesh Co., Ltd.

☎ 13785885555

✉ sales@china-mesh-wire.com

🌐 wire-metalmesh.com

