

Extruded Plastic Mesh Netting Breeding Hexagonal Plastic Mesh

Basic Information

Place of Origin: CHINABrand Name: YUDA

Model Number: Plastic flat netMinimum Order Quantity: 100 Square Meter

Price: Further discussion based on quantity
 Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 200000 Square Meters/ day



Product Specification

Product Name: Plastic Net

• Keys Words: 400g White Black Pe Plastic Net Chicken Net

Garden Net Mesh

Color: Black, White, Green, Orange, Red Or

Customized

Material: HDPE

• Hole Shape: Diamon, Square, Hexagonal Etc.

Usage: Multi-purposeProcessing Servic: Cut, Edge SealingLength: Customization

Highlight: extruded plastic mesh netting,
hexagonal plastic breading mes

hexagonal plastic breeding mesh, plastic mesh netting with warranty



Product Description

Extruded Plastic Mesh Netting Breeding Hexagonal Plastic Mesh

Plastic mesh, a versatile, lightweight, durable plastic polymer material with a grid-like structure, is widely used across residential, commercial, agricultural, and industrial fields for its flexibility, corrosion resistance, and cost-effectiveness, serving as a long-lasting alternative to traditional materials in various applications.

Product Name: Pure PP Chicken Wire Mesh & PP Wire Mesh for Broiler Breeding

Material: polypropylene PP

Color: white, black, green, red, yellow, blue, etc.

Weight: 300-800 g/square meter


Aperture: 2 mm-30 mm Width: 1 m - 2.5 m Length: 50 m/roll

Customization: according to customer requirements.

Characteristics: corrosion resistance, light weight, long life, non-toxic tasteless, good transparency. Used For: mainly used in oil, chemical industry, poultry farming, aquaculture and other industries etc.

Plastic flat mesh are also called plastic extruded nets and plastic breeding nets. It is made of HDPE,PP plastic particles that are heated and melted, extruded through an extruder, and then cooled and shaped. Plastic flat mesh has the advantages of wear resistance, corrosion resistance, high toughness, good transparency, light weight and long service life.

Specifications			
Opening(cm)	Plate thickness (mm)	Roll diameter(cm)	Weight per roll(kg)
3	1	20	30
4	1	20	30
6	1	20	30
0.8	1	35	40
1	1.2	30	35
1.5	2	30	40
3	2.5	45	50
2	1.5	50	55
3	3	50	25
2	4.5	50	85







Anping Yuda Wire Mesh Co., Ltd.



13785885555



sales@china-mesh-wire.com



wire-metalmesh.com

Xiwangzhuang Developing Zone, Anping, Hebei, China