

High Tensile Strength Woven Farm Field Fence Cheap Grassland Fence

Basic Information

Place of Origin: CHINA
Brand Name: YUDA
Model Number: Field fence
Minimum Order Quantity: 10 roll

Price: Decided based on requirements
 Packaging Details: Customized according to buyer's

requirements

• Delivery Time: 3-10 day

• Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram

• Supply Ability: 5000 roll/ day



Product Specification

Product Name: Field Fence

Key Words: High Tensile StrengthMaterial: Low-Carbon Iron Wire

Application: Fence Mesh,grassland,sheep
 Height: 0.8-2.0m Or As Your Demand
 Length: 50m 100m Or As Your Request
 Usage: Protecting Wire Mesh Fence

• Diameter: CUSTOMIZED

• Highlight: high tensile strength field fence,

woven farm fence, cheap grassland field fence



Product Description

High Tensile Strength Woven Farm Field Fence Cheap Grassland Fence

Field farm fence also called grassland net, is a kind of America Europe widely used to protect the ecological balance,to prevent landslides,livestock fence,especially in rainy mountain sewn on the outside of the network layer is prevented bask in 120 grams of nylon woven cloth.

Material: Q195, steel wire Classification: Electric galvanized Hot dipped galvanized High hot dipped galvanized

Application

Field fence is a kind of mesh used in cattle, goat, deer, and pig. It is used for grassland, pastures, protection of ecological projects, protecting grassland, forestry, highway, and environments

The structure is sturdy and precise

The structure design of the ranch fence is novel, sturdy and durable, with good toughness and stability, and can withstand the impact force of large livestock such as cows, horses, sheep, etc.

Corrosion prevention and oxidation resistance

Ranch fence nets are usually made of galvanized steel wire woven, with a special surface treatment to improve their corrosion resistance and oxidation resistance, making them suitable for use in various harsh environments.

Strong adaptability

Ranch fence nets are suitable for various occasions, such as grassland construction in pastoral areas, family farms, farmland fences, forest nurseries, etc., which help improve grassland utilization and grazing efficiency, while protecting the natural environment.

Style specification		weight	Edge	Inner
		kg	wire mm	wire mm
7/150/813/50	102+114+127+140+152+178	19.3	2.5	2.0
8/150/813/50	89(75)+89+102+114+127+140+152	20.8	2.5	2.0
8/150/902/50	89+102+114+127+140+152+178	21.6	2.5	2.0
8/150/1016/50	102+114+127+140+152+178+203	22.6	2.5	2.0
8/150/1143/50	114+127+140+152+178+203+229	23.6	2.5	2.0
9/150/991/50	89(75)+89+102+114+127+140+152+178	23.9	2.5	2.0
			2.5	2.0
10/150/1194/50	89(75)+89+102+114+127+140+152+178+203+229	27.3	2.5	2.0
19/150/1442/50	89+102+114+127+140+152+178+203+229	28.4	2.5	2.0
11/150/1442/50	89(75)+89+102+114+127+140+152+178+203+229	30.8	2.5	2.0





Xiwangzhuang Developing Zone, Anping, Hebei, China